

### **Amendment to the Claims**

Claim 1(currently amended). A pneumatic tire having a rubber component where the rubber in said component is comprised of

(A) from 10 to 75 phr of a crosslinked rubber gel filler having a swelling index (Qi) in toluene of from 1 to 15, a particle diameter of from 20 to 1,000 nm, and selected from the group consisting of polybutadiene gel, styrene butadiene gel and natural rubber gel, acrylonitrile-butadiene gel, polychloroprene gel and mixtures thereof;

(B) from 1 to 25 phr of syndiotactic 1,2-polybutadiene; and

(C) a second rubber, wherein said second rubber is an elastomer containing olefinic unsaturation.

Claim 2(original). The pneumatic tire of claim 1 wherein said syndiotactic 1,2-polybutadiene is a highly dispersed blend with a rubber and contains from 5 weight percent to about 40 weight percent syndiotactic 1,2-polybutadiene.

Claim 3(currently amended). The pneumatic tire of claim 1 wherein said crosslinked rubber gel filler is polybutadiene gel.

Claim 4(currently amended). The pneumatic tire of claim 1 wherein said crosslinked rubber gel filler is a styrene butadiene gel.


Claim 5(currently amended). The pneumatic tire of claim 4 wherein said crosslinked rubber gel filler is grafted with a polar unsaturated monomer.

Claim 6(previously amended). The pneumatic tire of claim 5 wherein said polar unsaturated monomer is selected from the group consisting of acrylic acid, methacrylic acid, acrylamide, methacrylamide, N-methoxymethyl methacrylic acid amide, N-acetoxymethyl methacrylic acid amide, acrylonitrile, dimethyl acrylamide, hydroxyethyl acrylate, hydroxyethyl methacrylate, hydroxypropyl acrylate, hydroxypropyl methacrylate, hydroxybutyl acrylate, hydroxybutyl methacrylate.


Claim 7(currently amended). The pneumatic tire of claim 5 wherein from 1 to 20 weight percent of said crosslinked rubber gel filler is derived from said polar unsaturated monomer.

Claim 8(currently amended). The pneumatic tire of claim 1 wherein said second rubber is selected from the group consisting of natural rubber, neoprene, polyisoprene, butyl rubber, halobutyl rubber, polybutadiene, styrene butadiene copolymer, styrene/isoprene/butadiene rubber, methyl methacrylate-butadiene copolymer, isoprene-styrene copolymer, methyl methacrylate-isoprene copolymer, acrylonitrile-isoprene copolymer, acrylonitrile-butadiene copolymer, carboxylated rubber, EPDM, silicon-coupled star-branched polymers, tin-coupled star-branched polymers and mixtures thereof.

Claim 9(original). The pneumatic tire of claim 1 wherein from 0.5 to 20 phr of a sulfur containing organosilicon compound is present and is of the formula:



in which Z is selected from the group consisting of



where R<sup>5</sup> is an alkyl group of 1 to 4 carbon atoms, cyclohexyl or phenyl; R<sup>6</sup> is alkoxy of 1 to 8 carbon atoms, or cycloalkoxy of 5 to 8 carbon atoms; Alk is a divalent hydrocarbon of 1 to 18 carbon atoms and n is an integer of 2 to 8.

Claim 10(original). The pneumatic tire of claim 1 wherein said composition is thermomechanically mixed at a rubber temperature in a range of from 140°C to 190°C for a total mixing time of from 1 to 20 minutes.

Claim 11(original). The pneumatic tire of claim 1 wherein said tire is selected from the group consisting of passenger tires, motorcycle tires, aircraft tires, agricultural, earthmover, off-the-road and truck tires.

Claim 12(original). A pneumatic tire of claim 1 wherein said rubber component is selected from the group consisting of a tread cap, tread base, sidewall, apex, chafer, sidewall insert, innerliner, wirecoat and ply coat.

Claim 13(cancelled).

Claim 14(cancelled).

Claim 15(original). The pneumatic tire of claim 1 wherein the syndiotactic polybutadiene has a melting point of from 150°C to 220°C.

Claim 16(currently amended). The pneumatic tire of claim 1 wherein the rubber in said component contains from 10 to 250 phr of a filler selected from the group consisting of silica and carbon black.

Claim 17(currently amended). The pneumatic tire of claim ~~1~~ 16 wherein said filler is silica.

Claim 18(currently amended). The pneumatic tire of claim ~~1~~ 16 wherein said filler is carbon black.

Claim 19(cancelled).